

Hole	From(m)	To(m)	Width(m)	Cu(%)	Au(g/t)	Ag(g/t)	CuEq*	AuEq**
KLI-21-036	12.0	33.0	21.0	0.34	1.30	2.48	1.24	1.83
	47.0	65.0	18.0	0.22	0.89	1.24	0.83	1.23
	12.0	65.0	53.0	0.22	0.83	1.52	0.79	1.17
	143.3	435.0	291.7	0.28	0.74	2.04	0.79	1.18
	294.0	435.0	141.0	0.36	1.11	2.76	1.13	1.67
	12.0	449.0	437.0	0.22	0.60	1.62	0.64	0.95
KLI-21-037	62.0	73.0	11.0	0.42	1.22	4.48	1.27	1.89
	90.0	122.0	32.0	0.52	0.88	2.48	1.13	1.68
	146.0	161.0	15.0	0.39	1.19	2.86	1.22	1.81
	243.9	268.0	24.1	1.09	2.21	7.92	2.64	3.92
	238.8	288.1	49.4	0.66	1.50	4.83	1.70	2.53
	12.3	329.0	316.7	0.30	0.70	2.17	0.79	1.17
KLI-21-038	12.3	579.0	566.7	0.20	0.44	1.39	0.51	0.75
	9.0	43.0	34.0	0.27	0.72	2.84	0.78	1.16
	9.0	63.0	54.0	0.21	0.56	2.27	0.61	0.90
	108.0	136.0	28.0	0.21	0.60	9.01	0.67	1.00
	153.1	186.0	32.9	0.24	0.78	1.68	0.77	1.15
	261.0	349.0	88.0	0.26	0.84	1.82	0.84	1.25
	226.0	351.0	125.0	0.23	0.69	1.57	0.70	1.05
	9.0	351.0	342.0	0.17	0.50	2.00	0.53	0.78
KLI-22-039	9.0	516.0	507.0	0.15	0.39	1.51	0.43	0.63
	22.0	43.4	21.4	0.38	0.48	3.96	0.73	1.08
	192.0	229.0	37.0	0.20	0.27	0.67	0.39	0.58
	22.0	229.0	207.0	0.16	0.17	1.10	0.28	0.42
KLI-22-040	9.3	252.0	242.7	0.15	0.17	1.05	0.28	0.41
	89.0	127.0	38.0	0.40	0.15	2.06	0.51	0.76
	210.0	253.0	43.0	0.50	1.11	2.72	1.27	1.88
	170.0	268.0	98.0	0.33	0.90	3.42	0.96	1.42
	306.6	340.0	33.4	0.09	0.56	0.77	0.47	0.70
	89.0	355.5	266.5	0.23	0.48	1.94	0.57	0.85
KLI-22-041	23.0	550.8	527.8	0.19	0.30	1.35	0.40	0.60
	164.0	200.0	36.0	0.30	0.70	1.61	0.78	1.16
	210.1	224.0	13.9	0.26	0.53	1.44	0.62	0.92
	280.0	323.0	43.0	0.09	1.59	1.34	1.17	1.74
	337.0	398.0	61.0	0.25	1.15	1.12	1.03	1.53
	420.0	442.0	22.0	0.10	0.63	1.01	0.52	0.78
	164.0	442.0	278.0	0.14	0.72	0.95	0.63	0.94
	106.0	442.0	336.0	0.15	0.62	1.04	0.57	0.85
KLI-22-042	12.0	600.0	588.0	0.12	0.39	0.90	0.39	0.58
	136.0	306.0	170.0	0.18	0.35	1.34	0.42	0.62
	438.0	474.4	36.4	0.14	0.62	0.99	0.56	0.83
	136.0	474.4	338.4	0.12	0.30	0.98	0.33	0.49
KLI-22-043	9.0	702.0	693.0	0.11	0.20	0.81	0.25	0.37
	165.0	229.0	64.0	0.31	0.47	1.82	0.64	0.95
	147.0	261.0	114.0	0.28	0.36	1.52	0.53	0.79
	463.0	501.0	38.0	0.45	0.26	0.83	0.63	0.94
	147.0	516.0	369.0	0.20	0.23	0.86	0.36	0.53
KLI-22-044	9.0	516.0	507.0	0.17	0.19	0.82	0.31	0.46
	134.0	194.0	60.0	0.24	0.37	1.72	0.51	0.75
	237.3	336.7	99.4	0.13	0.47	1.01	0.46	0.68
	134.0	352.0	218.0	0.15	0.37	1.15	0.41	0.61
	409.0	432.2	23.2	0.24	0.94	1.40	0.89	1.32
	385.3	463.2	77.9	0.12	0.43	0.83	0.42	0.62
	39.0	540.0	501.0	0.13	0.27	0.92	0.32	0.47
KLI-22-045	11.6	651.0	639.4	0.11	0.23	0.84	0.27	0.40
	112.0	127.0	15.0	0.44	0.97	1.96	1.11	1.65
	141.0	184.0	43.0	0.17	0.57	2.39	0.57	0.85
	112.0	184.0	72.0	0.21	0.59	1.96	0.62	0.93
	330.0	367.0	37.0	0.15	0.34	0.89	0.38	0.57
	330.0	471.0	141.0	0.11	0.25	0.49	0.29	0.42
KLI-22-046	12.0	694.9	682.9	0.11	0.17	0.64	0.23	0.34
	313.0	336.2	23.2	0.15	0.49	1.36	0.49	0.72
	371.0	430.0	59.0	0.24	0.87	2.29	0.84	1.24
	273.0	442.0	169.0	0.20	0.46	1.65	0.52	0.77
	52.0	442.0	390.0	0.15	0.28	1.40	0.34	0.51

	15.0	501.0	486.0	0.13	0.23	1.26	0.30	0.44
KLI-22-047	10.5	486.0	475.5	0.03	0.04	0.22	0.06	0.09
KLI-22-048a	45.0	591.0	546.0	0.02	0.04	0.26	0.05	0.08
KLI-22-049	250.0	316.0	66.0	0.23	0.24	0.90	0.40	0.59
	394.0	432.0	38.0	0.16	0.27	0.76	0.35	0.52
	456.0	484.0	28.0	0.27	0.44	2.87	0.58	0.87
	144.0	484.0	340.0	0.15	0.20	0.80	0.29	0.42
	14.0	603.0	589.0	0.11	0.14	0.60	0.21	0.31
KLI-22-050	254.0	308.0	54.0	0.40	1.03	2.42	1.11	1.64
	354.0	443.0	89.0	0.28	1.05	1.20	1.00	1.48
	115.0	443.0	328.0	0.25	0.57	1.25	0.64	0.95
	514.0	562.0	48.0	0.19	0.41	1.15	0.47	0.70
	58.0	584.0	526.0	0.20	0.43	1.03	0.49	0.73
	7.7	807.0	799.3	0.15	0.31	0.81	0.37	0.55
KLI-23-051	70.0	106.0	36.0	0.22	0.28	1.37	0.42	0.62
	12.6	122.0	109.4	0.18	0.20	1.10	0.32	0.48
	6.3	138.0	131.7	0.16	0.18	1.07	0.29	0.43
KLI-23-052	14.0	48.8	34.8	0.17	0.18	1.22	0.30	0.45
	92.4	140.4	48.0	0.22	0.22	1.70	0.38	0.57
	161.2	189.0	27.8	0.29	0.51	2.05	0.64	0.95
	63.0	200.0	137.0	0.22	0.26	1.41	0.40	0.60
	281.0	304.0	23.0	0.25	0.26	1.21	0.44	0.65
	333.4	357.2	23.9	0.21	0.20	1.77	0.36	0.53
	403.8	467.0	63.2	0.23	0.21	1.53	0.39	0.57
	14.0	467.0	453.0	0.17	0.18	1.10	0.30	0.44
	11.0	611.0	600.0	0.15	0.15	0.93	0.26	0.38
KLI-23-053	19.0	31.0	12.0	0.24	0.30	1.50	0.46	0.68
	53.0	71.0	18.0	0.26	0.19	1.04	0.40	0.59
	102.5	134.0	31.5	0.27	0.24	0.93	0.43	0.65
	19.0	134.0	115.0	0.18	0.17	0.82	0.30	0.44
	291.0	317.0	26.0	0.19	0.30	3.05	0.42	0.62
	220.0	345.3	125.3	0.14	0.21	1.31	0.29	0.43
	15.0	405.0	390.0	0.13	0.15	0.82	0.24	0.35
KLI-23-054	17.0	29.0	12.0	0.30	0.28	2.02	0.50	0.74
	84.0	102.0	18.0	0.30	0.40	2.86	0.58	0.87
	17.0	122.0	105.0	0.19	0.23	1.49	0.35	0.53
	187.0	252.0	65.0	0.22	0.58	1.29	0.62	0.92
	301.5	348.0	46.5	0.43	1.20	2.51	1.25	1.86
	396.0	439.0	43.0	0.16	0.50	0.71	0.50	0.74
	456.0	486.5	30.5	0.13	0.54	0.87	0.49	0.73
	181.0	486.5	305.5	0.23	0.51	1.22	0.59	0.87
	17.0	486.5	469.5	0.20	0.39	1.17	0.47	0.70
	11.7	552.0	540.3	0.19	0.36	1.09	0.44	0.65

*CuEq = ((Cu%) x \$Cu x 22.0462) + (Au(g/t) x AuR/CuR x \$Au x 0.032151) + (Ag(g/t) x AgR/CuR x \$Ag x 0.032151)) / (\$Cu x 22.0462).

**AuEq = ((Au(g/t) x \$Au x 0.032151) + ((Cu%) x CuR/AuR x \$Cu x 22.0462) + (Ag(g/t) x AgR/CuR x \$Ag x 0.032151)) / (\$Au x 0.032151).

Commodity prices: \$Cu = US\$3.25/lb, \$Au = US\$1,800/oz., and Ag = US\$20.00/oz.

There has been no metallurgical testing on Kliyul mineralization.

The Company estimates copper recoveries (CuR) of 84%, gold recoveries (AuR) of 70%, and silver recoveries (AgR) of 65% based on the average recoveries from KUG, Mount Milligan, and Red Chris.

Factors: 22.0462 = Cu% to lbs per tonne, 0.032151 = Au g/t to troy oz per tonne, and 0.032151 = Ag g/t to troy oz per tonne.