

Hole	From(m)	To(m)	Width(m)	Cu(%)	Au(gpt)	Ag(gpt)	CuEQ	AuEQ
KLI-21-036	12.0	449.0	437.0	0.22	0.60	1.62	0.64	0.95
Includes	12.0	33.0	21.0	0.34	1.30	2.48	1.24	1.83
and	12.0	65.0	53.0	0.22	0.83	1.52	0.79	1.17
Includes	143.3	435.0	291.7	0.28	0.74	2.04	0.79	1.18
and	294.0	435.0	141.0	0.36	1.11	2.76	1.13	1.67
KLI21-037	12.3	579.0	566.7	0.20	0.44	1.39	0.51	0.75
Includes	12.3	329.0	316.7	0.30	0.70	2.17	0.79	1.17
and	90.0	122.0	32.0	0.52	0.88	2.48	1.13	1.68
Includes	238.8	288.1	49.4	0.66	1.50	4.83	1.70	2.53
and	243.9	268.0	24.1	1.09	2.21	7.92	2.64	3.92
KLI21-038	9.0	516.0	507.0	0.15	0.39	1.51	0.43	0.63
Includes	9.0	43.0	34.0	0.27	0.72	2.84	0.78	1.16
and	108.0	136.0	28.0	0.21	0.60	9.01	0.67	1.00
and	153.1	186.0	32.9	0.24	0.78	1.68	0.77	1.15
and	261.0	349.0	88.0	0.26	0.84	1.82	0.84	1.25
KLI-22-039	9.3	252.0	242.7	0.15	0.17	1.05	0.28	0.41
Includes	22.0	43.4	21.4	0.38	0.48	3.96	0.73	1.08
and	192.0	229.0	37.0	0.20	0.27	0.67	0.39	0.58
KLI-22-040	23.0	550.8	527.8	0.19	0.30	1.35	0.40	0.60
Includes	89.0	355.5	266.5	0.23	0.48	1.94	0.57	0.85
and	170.0	268.0	98.0	0.33	0.90	3.42	0.96	1.42
and	210.0	253.0	43.0	0.50	1.11	2.72	1.27	1.88
KLI-22-041	12.0	600.0	588.0	0.12	0.39	0.90	0.39	0.58
Includes	106.0	442.0	336.0	0.15	0.62	1.04	0.57	0.85
and	164.0	442.0	278.0	0.14	0.72	0.95	0.63	0.94
and	164.0	200.0	36.0	0.30	0.70	1.61	0.78	1.16
and	280.0	323.0	43.0	0.09	1.59	1.34	1.17	1.74
and	337.0	398.0	61.0	0.25	1.15	1.12	1.03	1.53
KLI-22-042	9.0	702.0	693.0	0.11	0.20	0.81	0.25	0.37
Includes	136.0	474.4	338.4	0.12	0.30	0.98	0.33	0.49
and	136.0	306.0	170.0	0.18	0.35	1.34	0.42	0.62
and	438.0	474.4	36.4	0.14	0.62	0.99	0.56	0.83
KLI-22-043	9.0	516.0	507.0	0.17	0.19	0.82	0.31	0.46
Includes	147.0	261.0	114.0	0.28	0.36	1.52	0.53	0.79
and	165.0	229.0	64.0	0.31	0.47	1.82	0.64	0.95
Includes	463.0	501.0	38.0	0.45	0.26	0.83	0.63	0.94
KLI-22-044	11.6	651.0	639.4	0.11	0.23	0.84	0.27	0.40
Includes	81.5	432.2	350.7	0.13	0.32	0.98	0.36	0.53
and	134.0	352.0	218.0	0.15	0.37	1.15	0.41	0.61
and	134.0	194.0	60.0	0.24	0.37	1.72	0.51	0.75
and	237.3	336.7	99.4	0.13	0.47	1.01	0.46	0.68
KLI-22-045	112.0	184.0	72.0	0.21	0.59	1.96	0.62	0.93
Includes	141.0	184.0	43.0	0.17	0.57	2.39	0.57	0.85
and	330.0	367.0	37.0	0.15	0.34	0.89	0.38	0.57
KLI-22-046	273.0	442.0	169.0	0.20	0.46	1.65	0.52	0.77

and	371.0	430.0	59.0	0.24	0.87	2.29	0.84	1.24
KLI-22-047	332.0	385.0	53.0	0.10	0.11	0.72	0.18	0.26
KLI-22-048a	352.0	362.0	10.0	0.01	0.59	1.81	0.43	0.63
KLI-22-049	144.0	484.0	340.0	0.15	0.20	0.80	0.29	0.42
Includes	250.0	316.0	66.0	0.23	0.24	0.90	0.40	0.59
and	456.0	484.0	28.0	0.27	0.44	2.87	0.58	0.87
KLI-22-050	58.0	584.0	526.0	0.20	0.43	1.03	0.49	0.73
Includes	115.0	443.0	328.0	0.25	0.57	1.25	0.64	0.95
and	254.0	308.0	54.0	0.40	1.03	2.42	1.11	1.64
and	354.0	443.0	89.0	0.28	1.05	1.20	1.00	1.48
and	514.0	562.0	48.0	0.19	0.41	1.15	0.47	0.70
KLI-23-051	6.3	138.0	131.7	0.16	0.18	1.07	0.29	0.43
includes	70.0	106.0	36.0	0.22	0.28	1.37	0.42	0.62
KLI-23-052	63.0	200.0	137.0	0.22	0.26	1.41	0.40	0.60
includes	161.2	189.0	27.8	0.29	0.51	2.05	0.64	0.95
and	403.8	467.0	63.2	0.23	0.21	1.53	0.39	0.57
KLI-23-053	19.0	134.0	115.0	0.18	0.17	0.82	0.30	0.44
and	220.0	345.3	125.3	0.14	0.21	1.31	0.29	0.43
includes	291.0	317.0	26.0	0.19	0.30	3.05	0.42	0.62
KLI-23-054	11.7	552.0	540.3	0.19	0.36	1.09	0.44	0.65
includes	181.0	486.5	305.5	0.23	0.51	1.22	0.59	0.87
and	187.0	252.0	65.0	0.22	0.58	1.29	0.62	0.92
and	301.5	348.0	46.5	0.43	1.20	2.51	1.25	1.86
and	396.0	439.0	43.0	0.16	0.50	0.71	0.50	0.74
KLI-23-055	196.9	216.0	19.1	0.01	0.34	0.65	0.24	0.36
KLI-23-056	485.8	523.0	37.2	0.14	0.19	1.07	0.27	0.41
KLI-23-057	290.0	379.2	89.3	0.21	0.25	0.91	0.38	0.57
includes	304.0	338.0	34.0	0.24	0.29	0.97	0.44	0.66
and	433.0	513.0	80.0	0.10	0.39	0.85	0.37	0.54
includes	433.0	467.0	34.0	0.03	0.60	1.32	0.44	0.66
and	478.7	513.0	34.3	0.20	0.28	0.63	0.40	0.59
KLI-23-058	5.0	560.0	555.0	0.11	0.24	0.72	0.28	0.42
includes	105.0	493.5	388.5	0.18	0.35	1.05	0.42	0.62
includes	390.0	493.5	103.5	0.18	0.66	0.93	0.63	0.94
and	439.9	471.5	31.6	0.33	1.24	1.51	1.17	1.74
KLI-23-059	181.1	193.0	11.9	0.04	0.10	1.02	0.12	0.18
and	247.1	263.7	16.7	0.06	0.02	0.65	0.08	0.12
KLI-23-060	152.0	252.0	100.0	0.16	0.26	1.38	0.35	0.51
and	409.8	497.6	87.8	0.15	0.09	0.71	0.22	0.32
KLI-23-061	224.0	227.0	3.0	0.03	0.21	0.61	0.18	0.26
KLI-23-062	13.0	498.7	485.7	0.15	0.17	0.89	0.27	0.40
includes	13.0	126.0	113.0	0.22	0.36	1.65	0.48	0.71